

Splendore

Collection



120x180cm | 1200x1800mm

serön
we reinvent marble

Designed in Italy,
Shining Worldwide.




Introduction



Splendore Collection Redefining Shine, Redefining Interiors.

Seron is elated to introduce its finest creation yet - the Splendore Collection - a collection steeped in old-world luxury and charm while redefining modern shine and opulence all at once. Justifying the name, the collection is a feat for shine and luxury enthusiasts seeking brilliance and opulence as the evocative character in their spaces as soon as one steps in.

Collection



120x180cm / 1200x1800mm
Size

19 Designs

2 Surfaces

9mm Thickness

The collection is available in the extravagant size of 120x180cm and 9mm thickness. The expertly curated collection presents nineteen exclusive designs available on two shiny surfaces.

Surfaces



Glossy

A classic lustrous surface that brings a sense of openness and vitality to any room, infusing them with the radiant luxury of dancing and bouncing light.



Pearl

A sophisticatedly shiny surface that casts a soft glow, creating an inviting atmosphere soaked in natural light and luxury, blending simplicity and shine.



Applications

The expansive format, luxurious surfaces, and exquisite designs facilitate extensive application possibilities, offering homeowners aesthetic and functional solutions in one.

Floor



Wall



Table top



Basin



Furnishing

Work Top



Vanity Top



Reception Table

Features

Features That Redefine Excellence

Designed in Italy

Designs reflecting on the timeless Italian artistry.

Large Format Slab

The expansive 120x180cm size for a seamless look.

Versatile Surfaces

Two brilliant surfaces, glossy and pearl, in one collection.

Durability

Engineered for strength, the slabs resist scratches and more easily.

Easy Maintenance


Low-porosity surface assures effortless cleaning and maintenance.

Eco-Conscious

Produced using sustainable practices and materials.

Hygienic

Non-porous surfaces discourage microbial growth for hygiene and safety.



Application Area
Store

QR for 360° view



Size
120x180cm / 1200x1800mm

Wall
Kenzo Bianco
Glossy Surface

Floor
Kenzo Bianco
Pearl Surface

Color & Surfaces

Bianco
Glossy Surface

Bianco
Pearl Surface

Design Information


Size
120x180cm / 1200x1800mm

Surfaces
Glossy Surface / Pearl Surface

Thickness
9mm

Kenzo Bianco

Random / 3



Application Area
Dining Area



Size
120x180cm / 1200x1800mm

Wall
Kenzo Crema
Glossy Surface

Floor
Kenzo Crema
Pearl Surface

QR for 360° view



Application Area
Cafeteria

QR for 360° view



Size
120x180cm / 1200x1800mm

Wall
Kenzo Dove
Glossy Surface

Floor
Kenzo Dove
Pearl Surface



Colors & Surfaces



Design Information

Size
120x180cm / 1200x1800mm

Surfaces
Glossy Surface / Pearl Surface

Thickness
9mm

Kenzo Crema

Random / 3



Kenzo Dove

Random / 3



Application Area

Backyard Kitchen

QR for 360° view



Size
120x180cm / 1200x1800mm

Wall
White Superiore
Glossy Surface

Floor
White Superiore
Pearl Surface



Application Area
Restaurant

QR for 360° view



Size
120x180cm / 1200x1800mm

Wall
Crema Superiore
Glossy Surface

Floor
Crema Superiore
Pearl Surface



Colors & Surfaces



Design Information

Size
120x180cm / 1200x1800mm

Surfaces
Glossy Surface / Pearl Surface

Thickness
9mm

White Superiore

Random / 3



Crema Superiore

Random / 3



Application Area
Speciality Store



Size
120x180cm / 1200x1800mm

Wall
Spanish Crema
Glossy Surface

Floor
Spanish Crema
Pearl Surface

QR for 360° view



Application Area
Waiting Area

QR for 360° view



Size
120x180cm / 1200x1800mm

Wall
Spanish Bianco
Glossy Surface

Floor
Spanish Bianco
Pearl Surface



Seron

Designed in Italy



Porcelain Tiles

Splendore

Collection 2025

Colors & Surfaces



Design Information

Size
120x180cm / 1200x1800mm

Surfaces
Glossy Surface / Pearl Surface

Thickness
9mm

Spanish Crema

Random / 3



Spanish Bianco

Random / 3



Application Area
Hair Salon



Size
120x180cm / 1200x1800mm

Wall
Taj Mahal
Glossy Surface

Floor
Taj Mahal
Pearl Surface

QR for 360° view



Color & Surfaces

Taj Mahal
Glossy Surface



Taj Mahal
Pearl Surface

Design Information

Size
120x180cm / 1200x1800mm

Surfaces
Glossy Surface / Pearl Surface

Thickness
9mm

Taj Mahal

Random / 3



Application Area
Reading Area

QR for 360° view



Size
120x180cm / 1200x1800mm

Wall
Orient Natural
Glossy Surface

Floor
Orient Natural
Pearl Surface



Color & Surfaces

Natural
Glossy Surface



Natural
Pearl Surface

Design Information


Size
120x180cm / 1200x1800mm

Surfaces
Glossy Surface / Pearl Surface

Thickness
9mm

Orient Natural

Random / 3



Application Area
Bathroom

QR for 360° view



Size
120x180cm / 1200x1800mm

Wall
Marquina Beige
Glossy Surface

Floor
Marquina Beige
Pearl Surface



Seron

Designed in Italy



Porcelain Tiles

Splendore

Collection 2025

Application Area
Living Room



Size
120x180cm / 1200x1800mm

Wall
Marquina Light
Glossy Surface

Floor
Marquina Light
Pearl Surface

QR for 360° view



Colors & Surfaces



Design Information

Size
120x180cm / 1200x1800mm

Surfaces
Glossy Surface / Pearl Surface

Thickness
9mm

Marquina Beige

Random / 3



Marquina Light

Random / 3



Application Area
Bedroom

QR for 360° view



Size
120x180cm / 1200x1800mm

Wall
Fendi Crema
Glossy Surface

Floor
Fendi Crema
Pearl Surface



Color & Surfaces

Crema
Glossy Surface

Crema
Pearl Surface

Design Information

Size
120x180cm / 1200x1800mm

Surfaces
Glossy Surface / Pearl Surface

Thickness
9mm

Fendi Crema

Random / 3



Application Area
Living Area

Size
120x180cm / 1200x1800mm

Wall
Luna Silver
Glossy Surface

Floor
Luna Silver
Pearl Surface



QR for 360° view



Color & Surfaces

Silver
Glossy Surface



Silver
Pearl Surface



Design Information


Size
120x180cm / 1200x1800mm

Surfaces
Glossy Surface / Pearl Surface

Thickness
9mm

Luna Silver

Random / 3



Application Area
Co-working Space

QR for 360° view



Size
120x180cm / 1200x1800mm

Wall
Prisma Bianco
Glossy Surface

Floor
Prisma Bianco
Pearl Surface



Color & Surfaces

Bianco
Glossy Surface



Bianco
Pearl Surface

Design Information

Size
120x180cm / 1200x1800mm

Surfaces
Glossy Surface / Pearl Surface

Thickness
9mm

Prisma Bianco

Random / 3



Application Area
Reception



Size
120x180cm / 1200x1800mm

Wall
Thunder Glam
Glossy Surface

Floor
Thunder Glam
Pearl Surface

QR for 360° view



Application Area
Boutique

QR for 360° view



Size
120x180cm / 1200x1800mm

Wall
Grey Glam
Glossy Surface

Floor
Grey Glam
Pearl Surface



Seron

Designed in Italy




Porcelain Tiles

Splendore

Collection 2025

Colors & Surfaces



Design Information

Size
120x180cm / 1200x1800mm

Surfaces
Glossy Surface / Pearl Surface

Thickness
9mm

Thunder Glam

Random / 3



Grey Glam

Random / 3



Application Area

Diner

QR for 360° view



Size
120x180cm / 1200x1800mm

Wall
Bvlgari Crema
Glossy Surface

Floor
Bvlgari Crema
Pearl Surface



Seron

Designed in Italy



Porcelain Tiles

Splendore

Collection 2025

Application Area
Home Office



Size
120x180cm / 1200x1800mm

Wall
Bulgari Silver
Glossy Surface

Floor
Bulgari Silver
Pearl Surface

QR for 360° view



Colors & Surfaces



Crema
Glossy Surface

Crema
Pearl Surface

Silver
Glossy Surface

Silver
Pearl Surface

Design Information

Size
120x180cm / 1200x1800mm

Surfaces
Glossy Surface / Pearl Surface

Thickness
9mm

Bulgari Crema

Random / 3



Bulgari Silver

Random / 3



Application Area

Master Bedroom



Size
120x180cm / 1200x1800mm

Wall
Dama Bianco
Glossy Surface

Floor
Dama Bianco
Pearl Surface

QR for 360° view



Color & Surfaces

Bianco
Glossy Surface

Bianco
Pearl Surface

Design Information

Size
120x180cm / 1200x1800mm

Surfaces
Glossy Surface / Pearl Surface

Thickness
9mm

Dama Bianco

Random / 3




INSTRUCTIONS FOR MANUAL INSTALLATION


SINGLE LAYER METHOD



DOUBLE LAYER METHOD



COMPRESSING THE TILE



IMPORTANT

All cutout corners must have a minimum diameter of 1/4". Make sure to never leave 90° angles. We recommend radius of more than 1/4" for kitchen applications (if the design permits) as it will make the countertop firm.



✓ CORRECT



✗ INCORRECT

✗ INCORRECT

✗ INCORRECT

CLEANING & MAINTENANCE

Our products are non-porous due to use of high-quality raw materials, stringent production parameters, and state of the art technology. Hence, any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning, caused by some common food and substances, follow the table below:

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydro Chloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible

TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO-13006/2018 En14411 gr.bla	VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	+0.5%	+0.2%	ISO 10545-2
Deviation in Thickness	+0.5%	+5%	ISO 10545-2
Straightness of Sides	+0.5%	+0.2%	ISO10545-2
Rectangularity	+0.5%	+0.2%	ISO 10545-2
Surface Flatness	+0.5%	+0.3%	ISO 10545-2
Colour Difference	AE<1.00	AE<0.30	ISO 10545-16
Glossines	As per Mfg	As Per Mfg	GlossMeter
Structural Properties			
Water Absorption	<0.5 %	<0.3%	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of Rupture	Min.35N/mm ²	Nlin.40N/mm*	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Moh's Hardness	As per Mfg.	Clin. class 4	BS EN 15771
Thermo Hygrometric Properties			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max.0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10	tax. 6.0x10	ISO 10545-8
Chemical Properties			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N.A.

PACKING DETAILS

Dimension (mm)	No. of Pcs/Box	Square Feet	Weight (Approx)
1200x1800mm	2Pcs.	46.5 Sq. Feet	91* Kg.



SERON GRANITO PVT. LTD.

Morbi - Halvad Road, At.Unchi Mandal,
Morbi - 363 642, Gujarat, INDIA.

Phone : +91 93890 93890

Email : info@serongranito.com

Email : tanksagar@serongranito.com
(international inquiry)

For more Information visit us on :
www.serongranito.com